DALI LC Gateway

BLGATTOU024DC03DALI06420
Article no.: 101669

DALI

Control signal

TENDER TEXT

BILTON GATEWAY TOUCH 12-48VDC DIN-rail DALI 64TN IP20 BILTON LEDON TechnologyDALI LC Gateway Article 101669 The controller DALI LC Gateway is operated with DALI and is served with a sonstige . The controller and has an output voltage of 24 .The power dissipation in stand-by is . Dimension (L x W x H): 105 x 85 x 59

TOP-FEATURES

//__ Freely programme and control 64 addresses, 16 scenes and 16 groups by iPhone/iPad

//__ Activation takes place directly via iPhone/iPad

//__ Integration into an existing network or WLAN

DALI LC Gateway

BLGATTOU024DC03DALI06420

Article no.: 101669

MECHANICAL DATA

Material	Kunststoff
Width of device	85
Height of device	59
Depth of device	105
Mounting method	REG
Colour	grau
Surface protection	sonstige
Control signal	DALI
Material quality	Duroplast
Type of fastening	Klickbefestigung
Applicable with movement sensor	yes
Applicable with transmission button	nein
Applicable with infrared button	nein
Applicable with presence indicator	yes
Applicable with time switch/timer	nein
Applicable with button	nein
Surface finishing	matt
Suitable for degree of protection (IP)	IP20

ELECTRICAL DATA

Control signal	DALI
Type of load	sonstige
Serial dimmer	nein
Nominal voltage	24

LIGHT TECHNICAL DATA

Light value memory	yes

PACKAGING INFORMATION

State of origin	AT
Customs tariff number	85423190
Net weight [g]	174
Gross weight [g]	221
Gross width [mm]	104
Gross height [mm]	69
Gross length [mm]	120
Net width [mm]	85
Net height [mm]	59
Net length [mm]	105

DALI LC Gateway

BLGATTOU024DC03DALI06420

Article no.: 101669