
BL Casambi Dimmer Phases

BL Casambi Dimmer Phase cut

Article no.: 171942





*Reference point (Tc point) on the bottom



TENDER TEXT

Dimmer, phase section, white plastic, Casambi, mesh network, IP20 BILTON LEDON Technology BL Casambi Dimmer Phases Article 171942 The controller BL Casambi Dimmer Phases has a Casambi control signal. Furthermore, the controller operates with a nominal voltage of 85 - 240 and has a IP20 protection rating. Dimensions (L x W x H): $14 \times 40.4 \times 36.3$

Casambi

BL Casambi Dimmer Phases

BL Casambi Dimmer Phase cut

Article no.: 171942



MECHANICAL DATA

Material	Kunststoff
Width of device	40.4
Height of device	36.3
Depth of device	14
Colour	White
Control signal	Casambi
Type of fastening	sonstige
Core cross section	0,5 - 1,5
Suitable for degree of protection (IP)	IP20
App controll via Bluetooth	yes

ELECTRICAL DATA

Voltage type	AC
Number of channels	4
Frequency	50 / 60
Control signal	Casambi
Nominal power	100
Nominal voltage	85 - 240
Standby power consumption (solstandby)	0.3

CONNECTION

Connection type	Steckklemme
Number of channels	4
Core cross section	0,5 - 1,5

TEMPERATURE TECHNICAL DATA

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at