BL DALI Mulitcontroller

BL DALI Multicontroller for LED strip IP20 4.1mA DALI

Article no.: 170217







TENDER TEXT

DALI Multicontroller white IP20 4.1mA 64TN BILTON LEDON TechnologyBL DALI Mulitcontroller Article 170217 The controller BL DALI Mulitcontroller is operated with DALI and is served with a Tipptaster . The controller and has an output voltage of . Dimension (L ${\bf x}$ W x H): 33 x 28 x 14.2

TOP-FEATURES

//__ 4 freely programmable switching inputs

//__ Can be inserted into the flush-mounted box and thus becomes a DALI switch.









BL DALI Mulitcontroller

BL DALI Multicontroller for LED strip IP20 4.1mA DALI

Article no.: 170217



MECHANICAL DATA

Material	Kunststoff
Width of device	28
Height of device	14.2
Depth of device	33
Mounting method	sonstige
Colour	White
Surface protection	sonstige
Control signal	DALI
Material quality	Duroplast
Type of fastening	sonstige
Applicable with movement sensor	yes
Applicable with transmission button	nein
Applicable with infrared button	nein
Applicable with presence indicator	yes
Applicable with time switch/timer	nein
Applicable with button	yes
Core cross section	0,5 - 1,5
Surface finishing	matt
Suitable for degree of protection (IP)	IP20

ELECTRICAL DATA

Control signal	DALI
Type of load	sonstige
Serial dimmer	nein

LIGHT TECHNICAL DATA

CONNECTION

Core cross section 0,5 - 1,5

TEMPERATURE TECHNICAL DATA

Ambient temperature during operating 0 ... + 50

PACKAGING INFORMATION

State of origin	CN
Net weight [g]	44.8
Gross weight [g]	68

Gross width [mm] Mulitcor	ntroller 65	
Bio Daist Muiticontroller for LED str Netwieth เกษาไว0217	ip IP20 4.1mA DALI	
Net height [mm]	14.2	BETTER LIGHT
Net length [mm]	33	

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at