
Drive Fixoutput


BL DRIVE 60W 24V IP20 Power Supply

Article no.: 172025













TENDER TEXT

Power supply, Constant voltage, Max. output power 60W, maximum input voltage 220-240VAC, output voltage 24V, SELV, protection class IP20. Protection class II, dimensions L \times W \times H = 151.5 \times 40.2 \times 31 mm BILTON LEDON Technology power supply Drive Fixoutput Article 172025 The power supply can be used up to 3 - 60 output power and 24 output voltage. The supply voltage of the power supply is 198 - 264 and has a IP20 protection class and protection class II. Dimension (L \times W \times H): 151.5 \times 40.2 \times 31







Drive Fixoutput

BL DRIVE 60W 24V IP20 Power Supply

Article no.: 172025



MECHANICAL DATA

Housing	Kunststoffgehäuse
Width	40.2
Length	151.5
Height	31
Colour	White
Control signal	ohne
With overheating protection	yes
Suitable for outdoor use	nein
Degree of protection (IP)	IP20

ELECTRICAL DATA

Protection class	II
Control signal	ohne
With overheating protection	yes
Imput voltage range	198 - 264
Output voltage range	24
Output power range	3 - 60
Frequency supply voltage (range)	50 - 60
Output current range	125 - 2500
Overload protection	yes
Standby power consumption (solstandby)	0.5
Suitable for constant voltage	yes
Suitable for DC-voltage (primary side)	yes
Power factor	0.95
No dim function	yes

TEMPERATURE TECHNICAL DATA

Ambient/storage temperature	- 40 + 85
Operation temperature at Tc	- 20 + 50
Lifespan at 20 °C	50000

PACKAGING INFORMATION

State of origin	CN
Customs tariff number	85044083
Net weight [g]	201
Gross weight [g]	201
Net width [mm]	151.5
Net height [mm]	31
Net length [mm]	40.2

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at work better Ministry and installation instructions carefully and completely before commissioning. The operating instructions can be found at work at the completely before commissioning.

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the technical information corresponds to

BETTER LIGHT