

Drive Dim IP Outdoor

BL DRIVE DIM IP 100W 24V IP67 DALI Power Supply Outdoor

Article no.: 172042







TENDER TEXT

Power supply dimmable for outdoor use, max. output power 100W, maximum input voltage 220-240VAC, output voltage 24V, SELV, protection class IP67. Protection class I, DALI, dimensions L x W x H = $320 \times 30 \times 21$ mm BILTON LEDON Technology power supply Drive Dim IP Outdoor Article 172042 The power supply can be used up to 0 - 100 output power and 24 output voltage. The supply voltage of the power supply is 176 - 264 and has a IP67 protection class and protection class I. Dimension (L x W x H): $305 \times 30 \times 21$



Drive Dim IP Outdoor

BL DRIVE DIM IP 100W 24V IP67 DALI Power Supply Outdoor

Article no.: 172042



MECHANICAL DATA

Housing	Kunststoffgehäuse
Width	30
Length	305
Height	21
Colour	White
Control signal	DALI
With overheating protection	yes
Suitable for outdoor use	yes
Degree of protection (IP)	IP67

ELECTRICAL DATA

Protection class	1
Control signal	DALI
With overheating protection	yes
Imput voltage range	176 - 264
Output voltage range	24
Output power range	0 - 100
Frequency supply voltage (range)	50 - 60
Output current range	4170
Overload protection	yes
Standby power consumption (solstandby)	0.5
Suitable for constant voltage	yes
Suitable for DC-voltage (primary side)	yes
Power factor	0.95
Dimming DALI	yes

TEMPERATURE TECHNICAL DATA

Ambient/storage temperature	- 40 + 85
Operation temperature at Tc	- 25 + 45
Lifespan at 20 °C	50000

PACKAGING INFORMATION

State of origin	CN
Customs tariff number	85044083
Net weight [g]	420
Gross weight [g]	420
Net width [mm]	320
Net height [mm]	21
Net length [mm]	30

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at well-better than at Pout and Conference of the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at the safety and installation instructions carefully and completely before commissioning.

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the technical information corresponds to

BETTER LIGHT