

Drive Fixoutput

BL Drive Power supply unit CV 220-240VAC 100W 24VDC 4150mA IP20

Article no.: 170806



24

Output voltage range

0 - 100

Output power range

IP20

Degree of protection (IP)

TENDER TEXT

Constant voltage power supply unit. Input voltage 220-240VAC. Maximum total power 100W (max. 4.15A). Output voltage 24VDC. Protection class IP20. Protection class I. Dimensions LxWxH = 222x53x40mm BILTON LEDON Technology power supply Drive Fixoutput Article 170806 The power supply can be used up to 0-100 output power and 24 output voltage. The supply voltage of the power supply is 220 - 240 and has a IP20 protection class and protection class I . Dimension (L x W x H): 222 x 53 mm x 40



Drive Fixoutput

BL Drive Power supply unit CV 220-240VAC 100W 24VDC 4150mA IP20

Article no.: 170806



MECHANICAL DATA

Housing	Kunststoffgehäuse
Width [mm]	53
Length	222
Height	40
Mounting method	Aufbau
Colour	White
Model	Static
Control signal	ohne
With overheating protection	yes
Suitable for outdoor use	nein
Degree of protection (IP)	IP20
Core cross section	0,5 - 2,5

ELECTRICAL DATA

Protection class	I
Voltage type	AC
Control signal	ohne
With overheating protection	yes
Input voltage range	220 - 240
Output voltage range	24
Output power range	0 - 100
Output current range	4150
Type of dimming	not dimmable
Overload protection	yes
Suitable for constant current	yes
Suitable for constant voltage	yes
Suitable for DC-voltage (primary side)	nein

CONNECTION

Core cross section	0,5 - 2,5
--------------------	-----------

TEMPERATURE TECHNICAL DATA

Ambient/storage temperature	- 40 ... + 70
Operation temperature at Tc	- 10 ... + 70
Ambient temperature during operating	- 20 ... + 45
Lifespan at 20 °C	50000

PACKAGING INFORMATION

State of origin	DE
-----------------	----

Customs tariff number
Drive Fixoutput

Net weight [g] 8504408290

Gross weight [g] 286.8

BL Drive Power supply unit CV 220-240VAC 100W 24VDC 4150mA IP20

Gross width [mm] 55

Gross height [mm] 50

Gross length [mm] 225

Net width [mm] 53

Net height [mm] 40

Net length [mm] 222



SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at