

Feeder

BL LED feeder 2-pole 5A for single-colour LED strip 8mm wide 2m

Article no.: 170153



Symbolfoto

2

Number of plug-in contacts

10

mm

Net width

5

mm

Net height

2000

mm

Net length

TENDER TEXT

LED strip feeder. 2-pin for single-colour LED strips with 8mm width. 5A per pin. Cable length 2m. BILTON LEDON Technology Feeder 2 pole Artikel 170153 The connector is a 2 pole Feeder with Flat ribbon cable . The connector has a IP20 protection class and the assembly takes place . Max. Rated current 5 . Dimensions (L x W x H): 2000 mm x 10 mm x 5 mm



Feeder

BL LED feeder 2-pole 5A for single-colour LED strip 8mm wide 2m

Article no.: 170153



MECHANICAL DATA

Material housing	Kunststoff
Colour housing	White
Colour	White
Inflammability class of insulation material acc. with UL94	V0
Material of contact surface	Zinn
Connectable conductor cross section fine-strand w/o ferrule	0,34
Degree of protection (IP), mounted	IP20
Number of plug-in contacts	2

ELECTRICAL DATA

Rated voltage	25
Rated surge voltage	0.5
With protective conductor	nein
Rated current I _n	5

CONNECTION

Type of connection	Printed circuit board to cable
Contact type	Buchse
Type of electric connection	Crimpanschluss
Connectable cable type	Flat ribbon cable
Modular spacing connections	1.8
Number of plug-in contacts	1
Modular spacing contacts	1.8
Connectable conductor cross section fine-strand w/o ferrule	0,34
Material insulation body	Thermoplast
Material contact	sonstige Kupferlegierungen
Angle contact/conductor connection	sonstige
Number of plug-in contacts	2

TEMPERATURE TECHNICAL DATA

Ambient/storage temperature	- 5 ... + 55
Operation temperature at T _c	- 30... + 75

PACKAGING INFORMATION

State of origin	DE
Customs tariff number	85444290
Net weight [g]	43

Gross weight [g]	48.9
Gross width [mm]	100
Gross height [mm]	15
BL LED Feeder 2-pole 5A for single-colour LED strip 8mm wide 2m	
Article No.: 170153	
Gross length [mm]	180
Net width [mm]	10
Net height [mm]	5
Net length [mm]	2000



SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at