

Feeder

BL LED feeder 4-pole 5A for coloured LED strip 8mm wide 50cm

Article no.: 170111







TENDER TEXT

4-pole feeder for coloured LED strips, 5A, IP20, white plastic, 50 mm V3 BILTON LEDON Technology Feeder 4 pole Artikel 170111 The connector is a4 pole Feeder with Flat ribbon cable . The connector has a IP20 protection class and the assembly takes place . Max. Rated current 5 . Dimensions (L \times W \times H): 500 mm \times 9.8 mm \times 5.7 mm







Feeder

BL LED feeder 4-pole 5A for coloured LED strip 8mm wide 50cm

Article no.: 170111



MECHANICAL DATA

Material housing	Kunststoff
Colour housing	White
Colour	White
Material of contact surface	Zinn
Connectable conductor cross section fine-strand w/o ferrule	0,34
Degree of protection (IP), mounted	IP20
Number of plug-in contacts	4

ELECTRICAL DATA

Rated voltage	25
Rated surge voltage	0.5
With protective conductor	nein
Rated current In	5

CONNECTION

Type of connection	Printed circuit board to cable
Number of poles	4
Contact type	Buchse
Type of electric connection	Crimpanschluss
Connectable cable type	Flat ribbon cable
Modular spacing connections	1.8
Number of plug-in contacts	1
Modular spacing contacts	1.8
Connectable conductor cross section fine-strand w/o ferrule	0,34
Material insulation body	Thermoplast
Material contact	sonstige Kupferlegierungen
Angle contact/conductor connection	sonstige
Number of plug-in contacts	4

TEMPERATURE TECHNICAL DATA

Ambient/storage temperature - 5 ... + 55

PACKAGING INFORMATION

State of origin	CN
Customs tariff number	85444290
Net width [mm]	9.8
Net height [mm]	5.7
Net length [mm]	500

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found the complete of the commission of the c

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out the total pure Bb\LED\feeder\frac{4-poles 5A\for\tag{on\tag{co}}{co}\tag{

BETTER LIGHT