

BL Drive IP67 60W 24V

BL MW Power supply unit CV 90-305VAC 60W 24VDC 2500mA IP67

Article no.: 170201



Output voltage range



Output power range



Degree of protection (IP)

TENDER TEXT

Constant voltage power supply unit. Input voltage 90-305VAC. Maximum total power 60W (max. 2.5A). Output voltage 24VDC. Protection class IP67. Protection class I. Dimensions LxWxH = 171x61.5x36.8mm BILTON LEDON Technology power supply BL Drive IP67 60W 24V Article 170201 The power supply can be used up to 60 output power and 24 output voltage. The supply voltage of the power supply is 90 - 305 and has a IP67 protection class and protection class III . Dimension (L x W x H): 171 x 61.5 mm x 36.8



BL Drive IP67 60W 24V

BL MW Power supply unit CV 90-305VAC 60W 24VDC 2500mA IP67

Article no.: 170201



MECHANICAL DATA

Housing	Metallgehäuse
Width [mm]	61.5
Length	171
Height	36.8
Model	Static
Control signal	ohne
With overheating protection	yes
Suitable for outdoor use	yes
Degree of protection (IP)	IP67

ELECTRICAL DATA

Protection class	III
Voltage type	AC
Control signal	ohne
With overheating protection	yes
Input voltage range	90 - 305
Output voltage range	24
Output power range	60
Output current range	2500
Type of dimming	not dimmable
Overload protection	yes
Suitable for constant current	yes
Suitable for constant voltage	yes
Suitable for DC-voltage (primary side)	yes

TEMPERATURE TECHNICAL DATA

Ambient/storage temperature	- 40 ... + 80
Operation temperature at T _c	- 40 ... + 80
Lifespan at 20 °C	60000

PACKAGING INFORMATION

State of origin	CN
Customs tariff number	85043180
Net weight [g]	660
Gross weight [g]	700
Gross width [mm]	80
Gross height [mm]	50
Gross length [mm]	220
Net width [mm]	50

Net height [mm] 40
BL Drive IP67 60W 24V 150
Net length [mm]

BL MW Power supply unit CV 90-305VAC 60W 24VDC 2500mA IP67

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at



DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at