
BL Panel Comfort

BL Panel Comfort 620mm 4000lm 30W 90D 940 white 900mA

Article no.: 710113













TENDER TEXT

LED panel, 4,000 lumen, 30W, 90° direct beam, CRI >90, 4,000 Kelvin, IP20, protection class III, dimmable, UGR BL Panel Comfort Article 710113 LED panel for installation as Surface / Installation / Suspension - made of high-quality, White coated frames made of Aluminium . Microprismatic layer for modular ceilings with concealed or visible support system. Very flat and compact design with a total height of 10. Best light quality with precise glare control 90; light color White, color temperature 4000; beam angle 90, mounting set for Surface / Installation / Suspension must be ordered separately. Dimensions (L x W x H): $620 \times 620 \times 10$

TOP-FEATURES

// LED panel light with microprismatic layer for modular ceilings with concealed or visible support system

//__ Best light quality with precise glare control and homogeneous light distribution over the entire light emission surface

//__ Glare limitation (UGR) <19











BL Panel Comfort

BL Panel Comfort 620mm 4000lm 30W 90D 940 white 900mA

Article no.: 710113



MECHANICAL DATA

| Material housing | Aluminium |
|---------------------------|-------------------------------------|
| Colour housing | White |
| Width | 620 |
| Length | 620 |
| Height/depth | 10 |
| Mounting method | Surface / Installation / Suspension |
| With movement sensor | nein |
| Lamp type | LED nicht austauschbar |
| Material of the cover | Plastic structured |
| Degree of protection (IP) | IP20 |
| Control gear included | nein |
| Unified Glare Ratio (UGR) | <19 |

ELECTRICAL DATA

| Protection class | III |
|--------------------|-------------|
| Voltage type | DC |
| Nominal voltage | 29,9 - 36,6 |
| Overall efficiency | 133 |
| Max. system power | 30 |

LIGHT TECHNICAL DATA

| 90 |
|--------|
| >90 |
| direkt |
| 4000 |
| 4000 |
| White |
| D |
| SDCM4 |
| |

TEMPERATURE TECHNICAL DATA

Rated life time L80/B50 at 25 °C 50000

PACKAGING INFORMATION

| State of origin | CN |
|-----------------------|----------|
| Customs tariff number | 94054239 |
| Net weight [g] | 2480 |
| Gross weight [g] | 5000 |
| Gross width [mm] | 655 |

| Gross height [mm] BLand and Comfort | 62 | |
|---|-----------------|--------------|
| Gross-length [Mm] CI COIIII OI L | 665 | |
| Bet Partel Comfort 620mm 4000lm 30W 90D | 940 white 900mA | |
| Neticeshid:::1710113 | 10 | |
| Net length [mm] | 620 | BETTER LIGHT |

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at