# Drive REG series installation

**BL REG Power supply unit CV 90-264VAC 480W 24VDC 20000mA IP20 Vout adjustable**
Article no.: 170506




**24**
Output voltage range

**480**
Output power range

**IP20**
Degree of protection (IP)

## TENDER TEXT

REG power supply unit constant voltage. Input voltage 90-264VAC. Maximum total output 480W (max. 20A). Output voltage 24VDC. Protection class IP20. Protection class I. Dimensions LxWxH = 128.5x85.5x125.2mm BILTON LEDON Technology power supply Drive REG series installation Article 170506 The power supply can be used up to 480 output power and 24 output voltage. The supply voltage of the power supply is 85 - 264 and has a IP20 protection class and protection class I . Dimension (L x W x H): 128.5 x 85.5 x 125.2

© BILTON LEDON Technology | www.better-light.at
Gewerbepark Harham 2, 5760 Saalfelden | Austria | Phone: +43 6582 71164 | Mail: office@bltechnology.at
Version: 20261119 | Errors and printing errors are reserved.

# Drive REG series installation

**BL REG Power supply unit CV 90-264VAC 480W 24VDC 20000mA IP20 Vout adjustable**
Article no.: 170506

## PACKAGING INFORMATION

| | |
|---|---|
| State of origin | CN |
| Customs tariff number | 85043180 |
| Net weight [g] | 1500 |
| Gross weight [g] | 1500 |
| Net width [mm] | 128.5 |
| Net height [mm] | 85.5 |
| Net length [mm] | 125.2 |

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at

© BILTON LEDON Technology | www.better-light.at
Gewerbepark Harham 2, 5760 Saalfelden | Austria | Phone: +43 6582 71164 | Mail: office@bltechnology.at
Version: 20261119 | Errors and printing errors are reserved.