



BL Wall Light Q

BL Wall Light Protected outdoor luminaire Q250mm 1500lm 15W 120D 830 black IP65

Article no.: 770029



Black

Colour housing

nein

With movement sensor

IK10

Impact strength

IP65

Degree of protection (IP)

TENDER TEXT

Outdoor wall light including power supply, black aluminum housing, 15W, 1500lm, 3000K, CRI>80, 120°, dimensions: W250 x H250 x D63mm Article number 770029 LED wall luminaire made of Aluminium Black with power supply unit - yes , rated voltage 230 AC ; cover made of Plastic opal , protection class IP65 , service life of 50000 , Luminous flux 1500 , Colour temperature 3000 , Colour rendering >80 , Beam angle 120 Height 250 x Width 250 x Depth 63



BL Wall Light Q

BL Wall Light Protected outdoor luminaire Q250mm 1500lm 15W 120D 830 black IP65

Article no.: 770029



MECHANICAL DATA

Material housing	Aluminium
Colour housing	Black
Width	250
Length	250
Height/depth	63
Height	250
Mounting method	Anbau
With movement sensor	nein
Lamp type	LED nicht austauschbar
Material of the cover	Plastic opal
Impact strength	IK10
Degree of protection (IP)	IP65
With lamp	yes
Control gear included	yes

ELECTRICAL DATA

Protection class	I
Voltage type	AC
Nominal voltage	230
Operating frequency	50 / 60
Overall efficiency	100
Max. system power	15

LIGHT TECHNICAL DATA


Function	ohne
Beam angle	120
Colour rendering index CRI	>80
Light exit	direkt
Light distribution	symmetrical
Rated luminous flux according to IEC 62722-2-1	1500
Colour temperature	3000
Colour of light	White

TEMPERATURE TECHNICAL DATA

Impact strength	IK10
Rated life time L80/B10 at 25 °C	50000

PACKAGING INFORMATION

State of origin	CN
-----------------	----

Customs tariff number	94051190	 BETTER LIGHT
BL Wall Light Q		
Net weight [g]	1300	
Gross weight [g]	1500	
BL Wall Light Protected outdoor luminaire Q250mm 1500lm 15W 120D 830 black IP65		
Article no.: 770029		
Net width [mm]	250	
Net height [mm]	250	
Net length [mm]	63	

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at