



# Recessed profile BLine P-M-IN01

**BLine P-M-IN01 LED built-in profile Alu white 29W/m B30.1 x H20.8 x L2000 mm**

Article no.: 171881



Aluminium

Material

29

Power consumption

20.8

Height

30.1

Width

## TENDER TEXT

Installation profile made of aluminum powder-coated white, Power consumption 29W/m, W30.1 x H 20.8 x L 2000 mm BILTON LEDON Technology Recessed profile BLine P-M-IN01 Article 171881 The Recessed profile BLine P-M-IN01 can be combined with the cover C-M-01. The profile is made of Aluminium with an White pulverbeschichtet finish and has a power consumption of up to 29 . Dimensions (L x W x H): 2000 x 30.1 x 20.8 Please note that cutting tolerances of +/- 2mm may occur.

## TOP-FEATURES

- //\_\_ Profile available in white, black and silver
- //\_\_ Easy installation thanks to customised combinations
- //\_\_ Suitable for LED strips up to 29
- //\_\_ Covers available in satin, black and transparent



# Recessed profile BLine P-M-IN01

**BLine P-M-IN01 LED built-in profile Alu white 29W/m B30.1 x H20.8 x L2000 mm**

Article no.: 171881



## MECHANICAL DATA

Material	Aluminium
Width	30.1
Length	2000
Height	20.8
Mounting method	Einbau
Colour	White
Power consumption	29
Surfacetreatment	pulverbeschichtet

## TEMPERATURE TECHNICAL DATA

Power consumption	29
-------------------	----

## PACKAGING INFORMATION

State of origin	CN
Customs tariff number	94054239
Gross width [mm]	170
Gross height [mm]	170
Gross length [mm]	2050
Net width [mm]	30.1
Net height [mm]	20.8
Net length [mm]	2000

\* Our aluminum profiles, plastic profiles, and associated accessories are intended exclusively for use in LED lighting, especially LED strips. They serve as integral components of luminaires and are designed for this purpose. Any other use, especially any misuse outside of LED lighting, is beyond our responsibility.

We assume no liability for damages or consequential costs resulting from improper use of our products.

## NECESSARY ACCESSORIES

Article	Article no.
BLine M-M-01 mounting clip Spring steel for profile P-M-IN01 with drill	171923
BLine C-M-01 cover satin flat 2000mm for profiles P-M-IN01	171897
BLine C-M-01 cover transparent flat 2000mm for profiles P-M-IN01	171898
BLine C-M-01 cover black flat 2000mm for profile P-M-IN01	172052

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: [www.better-light.at](http://www.better-light.at)

# Recessed profile BLine P-M-IN01

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out in the best of our knowledge and belief. BILTON LEDON Technology GmbH does not accept any liability for errors or omissions. The latest data sheet can be found at: [www.better-light.at](http://www.better-light.at)

**BLine P-M-IN01 LED built in profile Alu white 29W/m B30.1 x H20.8 x L2000 mm**

Article no.: 171881

