
# Surface-mounted profile BLine P-M-ON01

BLine P-M-ON01 LED built-on profile Alu silver 29W/m B20 x H15 x L2000 mm

Article no.: 171882















### **TENDER TEXT**

Surface mounted profile made of silver anodized aluminum, Power consumption 29W/m, W  $20\,x$  H  $15\,x$  L 2000 mm BILTON LEDON Technology Surface-mounted profile BLine P-M-ON01 Article 171882 The Surface-mounted profile BLine P-M-ON01 can be combined with the cover C-M-02 . The profile is made of Aluminium with an Silber anodisiert/eloxiert finish and has a power consumption of up to 29 . Dimensions (L x W x H):  $2000\,x\,20\,x\,15$  Please note that cutting tolerances of +/- 2mm may occur.

### **TOP-FEATURES**

//\_\_ Profile available in white, black and silver

//\_\_ Easy installation thanks to customised combinations

//\_\_ Suitable for LED strips up to 29

//\_\_ Covers available in satin, black and transparent







# Surface-mounted profile BLine P-M-ON01

## BLine P-M-ON01 LED built-on profile Alu silver 29W/m B20 x H15 x L2000 mm

Article no.: 171882



### MECHANICAL DATA

Material	Aluminium
Width	20
Length	2000
Height	15
Mounting method	Aufbau
Colour	Silber
Power consumption	29
Surfacetreatment	anodisiert / eloxiert

# TEMPERATURE TECHNICAL DATA

Power consumption 29

### PACKAGING INFORMATION

State of origin	CN
Customs tariff number	94054239
Gross width [mm]	170
Gross height [mm]	170
Gross length [mm]	2050
Net width [mm]	20
Net height [mm]	15
Net length [mm]	2000

<sup>\*</sup> Our aluminum profiles, plastic profiles, and associated accessories are intended exclusively for use in LED lighting, especially LED strips. They serve as integral components of luminaires and are designed for this purpose. Any other use, especially any misuse outside of LED lighting, is beyond our responsibility.

We assume no liability for damages or consequential costs resulting from improper use of our products.

# **NECESSARY ACCESSORIES**

Article	Article no
BLine M-M-02 mounting clip Spring steel for profile P-M-ON01/02 with drill	171924
BLine C-M-02 cover satined flat 2000mm for profile P-M-ON01/02	171901
BLine C-M-02 cover black flat 2000mm for profile P-M-ON01/02 $$	172054
BLine C-M-02 cover transparent flat 2000mm for profile P-M-ON01/02	171902

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be to wife white the profile Bline P-M-ONOI

Article no.: 471882 - light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and the technical information corresponds to the status at the time of printing and the technical information corresponds to the status at the time of printing and the technical information corresponds to the status at the time of printing at the technical information corresponds to the status at the time of printing at the technical information corresponds to the status at the time of printing at the time of the technical information corresponds to the status at the time of printing at the time of th est ita sileet can

BETTER LIGHT