
Surface-mounted profile BLine P-M-ON02

BLine P-M-ON02 LED built-on Alu silver 29W/m B20 x H20 x L3000 mm

Article no.: 171894















TENDER TEXT

Surface mounted profile made of silver anodized aluminum Power consumption 29W/m; W $20 \times H 20 \times L 3000$ mm BILTON LEDON Technology Surface-mounted profile BLine P-M-ON02 Article 171894 The Surface-mounted profile BLine P-M-ON02 can be combined with cover C-M-02. The profile is made of Aluminium with an Silber anodisiert/eloxiert finish and has a power consumption of up to 29 . Dimensions (L x W x H): $3000 \times 20 \times 20$ Please note that cutting tolerances of +/- 2mm may occur.

TOP-FEATURES

//__ Profile available in white, black and silver

//__ Easy installation thanks to customised combinations

//__ Suitable for LED strips up to 29

//__ Covers available in satin, black and transparent







Surface-mounted profile BLine P-M-ON02

BLine P-M-ON02 LED built-on Alu silver 29W/m B20 x H20 x L3000 mm

Article no.: 171894



MECHANICAL DATA

Material	Aluminium
Width	20
Length	3000
Height	20
Mounting method	Aufbau
Colour	Silber
Power consumption	29
Surfacetreatment	anodisiert / eloxiert

TEMPERATURE TECHNICAL DATA

Power consumption 29

PACKAGING INFORMATION

State of origin	CN
Customs tariff number	94054239
Gross width [mm]	170
Gross height [mm]	170
Gross length [mm]	3050
Net width [mm]	20
Net height [mm]	20
Net length [mm]	3000

^{*} Our aluminum profiles, plastic profiles, and associated accessories are intended exclusively for use in LED lighting, especially LED strips. They serve as integral components of luminaires and are designed for this purpose. Any other use, especially any misuse outside of LED lighting, is beyond our responsibility.

We assume no liability for damages or consequential costs resulting from improper use of our products.

NECESSARY ACCESSORIES

Article	Article no.
BLine C-M-02 cover satined flat 2000mm for profile P-M-ON01/02	171901
BLine C-M-02 cover transparent flat 2000mm for profile P-M-ON01/02	171902
BLine C-M-02 cover black flat 2000mm for profile P-M-ON01/02	172054
BLine M-M-02 mounting clip Spring steel for profile P-M-ON01/02 with drill	171924

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be to will two operating instructions can be to will the operating instructions can be also will be to will be

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out the test to but Bbines @eMeONO2eLED abditiongAlusilwer 29W/miB20xeH20xL3000 mmhe latest version of the data sheets. The less that sheets the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing at the technical information corresponds to the status at the time of printing at the technical information corresponds to the status at the time of printing at the technical information corresponds to the status at the time of printing at the technical information corresponds to the status at the time of printing at the technical information corresponds to the status at the time of printing at the time of the time of the technical information corresponds to the status at the time of the t Article no.: 171874 - light.at



BETTER LIGHT