


Surface-mounted BLine Select TT12

BLine Select TT12 LED surface-mounted profile alu SV14 W/m W12xH12xL2000 mm

Article no.: 171237




Material



Power consumption



Height



Width

TENDER TEXT

profile TT surface-mounted 14W/m aluminium silver W 12 x H 12 x 2000 mm BILTON LEDON Technology Surface-mounted BLine Select TT12 Article 171237 The Surface-mounted BLine Select TT12 can be combined with all covers from the TT family. The profile is made of Aluminium with an finish and has a power consumption of up to 14 . Dimensions (L x W x H): 2000 x 12 x 12 Please note that cutting tolerances of +/- 2mm may occur.

PACKAGING INFORMATION

Surface-mounted BLine Select TT12



State of origin PL
BLine Select TT12 LED surface-mounted profile alu SY14 W/m W12xH12xL2000 mm
 Customs tariff number 94054239
 Article no.: 171237
 Net weight [g] 182

BETTER LIGHT

Gross weight [g]	182
Gross width [mm]	12
Gross height [mm]	12
Gross length [mm]	2000
Net width [mm]	12
Net height [mm]	12
Net length [mm]	2000

NECESSARY ACCESSORIES

Article

Article no.

Angle ALU YTC8 170469

Endcap XT00U 170452

Angle steel XTC4 170456

Clip steel XTC5 170457

Magnet steel XTM1 170458

Surface-mounted BLine Select TT12

Endcap XT002

170527

BLine Select TT12 LED surface-mounted profile alu SV14 W/m W12xH12xL2000 mm

Article no.: 171237



SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at