


Surface-mounted profile BLine Select XT01

BLine Select XT02 LED surface-mounted profile alu silver 29W/m W23xH13xL2000mm


Article no.: 170253




Material



Power consumption



Height



Width

TENDER TEXT

Profile XT surface-mounted aluminium 29W/m W23xH13xL2000mm, incl. protective film BILTON LEDON Technology Surface-mounted profile BLine Select XT01 Article 170253 The Surface-mounted profile BLine Select XT01 can be combined with all covers from the XT family. The profile is made of Aluminium with an finish and has a power consumption of up to 29 . Dimensions (L x W x H): 2000 x 23 x 13 Please note that cutting tolerances of +/- 2mm may occur.

PACKAGING INFORMATION

Surface-mounted profile BLine Select XT01



State of origin TR
BLine Select XT02 LED surface-mounted profile alu silver 29W/m W23xH13xL2000mm
 Customs tariff number 94054239
 Article no.: 170253
 Net weight [g] 134

BETTER LIGHT

Gross weight [g]	134
Gross width [mm]	23
Gross height [mm]	13
Gross length [mm]	2000
Net width [mm]	23
Net height [mm]	13
Net length [mm]	2000

NECESSARY ACCESSORIES

Article	Article no.
Angle steel XTC4	170456
Endcap XT00U	170452
Clip steel XTC5	170457
Magnet steel XTM1	170458
Angle ALU YTC8	170469

Surface-mounted profile BLine Select XT01

Endcap XT002

170527

BLine Select XT02 LED surface-mounted profile alu silver 29W/m W23xH13xL2000mm

Article no.: 170253



SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at