Panel Round

LED DRIVER 220-240V CC 1000mA 9-42VDC DALI Panel Round

Article no.: 719240








Control signal



Degree of protection (IP)



Protection class



TENDER TEXT

incl. connection cable for Panel Round600











Panel Round

LED DRIVER 220-240V CC 1000mA 9-42VDC DALI Panel Round

Article no.: 719240



MECHANICAL DATA

Housing	Kunststoffgehäuse
Width	44
Length	137.5
Height	23
Model	dynamisch
Control signal	DALI / Switch
With overheating protection	nein
Suitable for outdoor use	nein
Degree of protection (IP)	IP20
Core cross section	0,5 - 1,5

ELECTRICAL DATA

Protection class	II
Control signal	DALI / Switch
With overheating protection	nein
Imput voltage range	198 - 264
Output voltage range	9 - 42
Output current range	1000
Overload protection	yes
Standby power consumption (solstandby)	0.45
Suitable for constant current	yes
Suitable for constant voltage	nein
Suitable for DC-voltage (primary side)	yes
Dimming DALI	yes

CONNECTION

Core cross section 0,5 - 1,5

TEMPERATURE TECHNICAL DATA

Ambient/storage temperature	- 20 + 90
Ambient temperature during operating	- 20 + 45

PACKAGING INFORMATION

State of origin	CN
Customs tariff number	85044083
Net width [mm]	44
Net height [mm]	23
Net length [mm]	137.5

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be the lateral formation of the complete of the commission of the

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and have been worked out the technical information corresponds to the status at the time of printing and the technical information corresponds to the technical inform

BETTER LIGHT