

Panel Round

LED DRIVER 220-240V CC 800mA 27-45VDC ON/OFF Panel Round


Article no.: 719248




Control signal



Degree of protection (IP)



Protection class



800

TENDER TEXT

incl. connection cable for Panel Round400



Panel Round

LED DRIVER 220-240V CC 800mA 27-45VDC ON/OFF Panel Round

Article no.: 719248



MECHANICAL DATA

Housing	Kunststoffgehäuse
Width [mm]	44
Length	137.5
Height	23
Model	Static
Control signal	ohne
With overheating protection	nein
Suitable for outdoor use	nein
Degree of protection (IP)	IP20
Core cross section	0,5 - 1,5

ELECTRICAL DATA

Protection class	II
Control signal	ohne
With overheating protection	nein
Input voltage range	198 - 264
Output voltage range	27 - 45
Output current range	800
Overload protection	yes
Standby power consumption (solstandby)	0.5
Suitable for constant current	yes
Suitable for constant voltage	nein
Suitable for DC-voltage (primary side)	yes
No dim function	yes

CONNECTION

Core cross section	0,5 - 1,5
--------------------	-----------

TEMPERATURE TECHNICAL DATA

Ambient/storage temperature	- 40 ... + 85
Ambient temperature during operating	- 20 ... + 45

PACKAGING INFORMATION

State of origin	CN
Customs tariff number	85044083
Net width [mm]	44
Net height [mm]	23
Net length [mm]	137.5

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out ~~in the best colour~~ ~~LED DRIVER 220-240V CC 800mA 27-45VDC ON/OFF Panel Round~~ use the latest version of the data sheets. The ~~best~~ data sheet can be found at: www.better-light.at
Article no.: 719248

