


Panel Comfort

LED DRIVER 220-240V CC 800mA 9-45VDC DALI

Article no.: 719242



DALI / Switch

Control signal

IP20

Degree of protection (IP)

II

Protection class

800

Output current range

TENDER TEXT

incl. connection cable for Panel Gen5 Comfort



Panel Comfort

LED DRIVER 220-240V CC 800mA 9-45VDC DALI

Article no.: 719242



MECHANICAL DATA

Housing	Kunststoffgehäuse
Width [mm]	44
Length	137.5
Height	23
Model	dynamisch
Control signal	DALI / Switch
With overheating protection	nein
Suitable for outdoor use	nein
Degree of protection (IP)	IP20
Core cross section	0,5 - 1,5

ELECTRICAL DATA

Protection class	II
Control signal	DALI / Switch
With overheating protection	nein
Input voltage range	198 - 264
Output voltage range	9 - 45
Output current range	800
Overload protection	yes
Standby power consumption (solstandby)	0.45
Suitable for constant current	yes
Suitable for constant voltage	nein
Suitable for DC-voltage (primary side)	yes
Dimming DALI	yes

CONNECTION

Core cross section	0,5 - 1,5
--------------------	-----------

TEMPERATURE TECHNICAL DATA

Ambient/storage temperature	- 20 ... + 90
Ambient temperature during operating	- 20 ... + 45

PACKAGING INFORMATION

State of origin	CN
Customs tariff number	85044083
Net width [mm]	44
Net height [mm]	23
Net length [mm]	137.5

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out ~~in the best colour~~ ~~LED DRIVER 220-240V CC 800mA 9-45VDC DALI~~ ~~make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at~~
Article no.: 719242

